


1. A fluid circuit has a pipe containing water which rises a height  $h$ , and the cross sectional area decreases to half its initial value as shown. The speed of the flow in the lower section is  $v_1 = 10.0$  m/s and the pressure is  $P_1 = 200$  kPa. Any dissipation can be ignored.  $\rho_w = 1000$  kg/m<sup>3</sup>. Use  $g = 10$  m/s<sup>2</sup>.


a) At which point (point 1 or point 2) is the speed of the flow greatest and what is its value?




b) What is the greatest value  $h$  can have? Hint, the lowest value pressure can have it zero.



3. The figure to the right shows two circuits with a resistor with resistance  $R$  and capacitor with capacitance  $C$ , and a switch which has been left open. In circuit  $A$ , the capacitor is initially charged to a voltage  $V$  while in circuit  $B$  the capacitor is initially uncharged. Circuit  $B$  also contains a battery having voltage  $V$ . At time  $t = 0$ , the switch is suddenly closed. The graph below and to the right shows curves for the voltage across the capacitor  $V_C$ , as a function of time for different values of  $V, R, C$ .




Circuit A



Circuit B

a) The table below shows the values of  $V, R$ , and  $C$  and which circuit ( $A$  or  $B$ ) produced the curves in the graph. In the space beside each of these, write the letter for the curve which it produced.


$V$ (Volts)	$R$ (Ohms)	$C$ (Farads)	Circuit	Curve
15	8	8	$A$	
15	15	15	$B$	
8	15	15	$A$	
15	15	15	$A$	



b) Give a brief but clear explanation of how you decided which line in the chart produced curve  $b$ .

c) Give a brief but clear explanation of how you decided which line in the chart produced curve  $d$ .

4. Consider the circuit shown in the figure to the right, in which the battery has voltage  $V_B$  and is connected across the resistor circuit from point  $X$  to point  $Y$ . The resistors have the following values:  $R_1 = 32\Omega$ ,  $R_2 = 20\Omega$ ,  $R_3 = 12\Omega$ ,  $R_4 = 24\Omega$ .  $S$  is a switch, and is initially in the open position as shown. The voltage across  $R_3$  is  $V_3 = 3V$ .



a) With the switch open (as drawn), find the equivalent resistance of all the resistors in this circuit.

b) What is the voltage of the battery,  $V_B$ ?

c) If the switch  $S$  is closed, tell how each of the following quantities be affected and explain your reasoning:



i) The voltage across  $R_1$ ?

ii) The current through  $R_2$ ?



iii) The voltage across  $R_3$ ?

iv) The voltage across  $R_4$ ?

5. Two students (each with a mass of 100kg) are lying in hammocks (suspended between two posts) as shown in the pictures to the right ( $\theta$  is the angle between the cords holding the hammock and the vertical direction). Consider a particular hammock plus the strings holding the hammock up plus the student in the hammock to be a **single object**. In this problem you can take the gravitational field to be  $g = 10 \text{ N/kg}$ .

 $\theta = 45^\circ$  $\theta = 25^\circ$ 

a) Draw an appropriately scaled and labeled force diagram for each of these two objects shown in the pictures (one force diagram in each grid below).

 $\theta = 45^\circ$  $\theta = 25^\circ$ 

b) If the strings holding up the hammock could support any force (so they couldn't break) would it be possible to suspend the hammock so that the strings were both exactly horizontal (i.e.  $\theta = 90^\circ$ )? Explain.

\_\_\_\_\_

Last name

\_\_\_\_\_

First name

\_\_\_\_\_

DL Sec

\_\_\_\_\_|\_\_\_\_\_|\_\_\_\_\_|

First three initials of last name

\_\_\_\_\_

p 7

grade (for office use only)

6. A Cadillac traveling to the right and a Toyota traveling to the left with equal speeds of 20.0 m/s collide head on and remain stuck together. The Cadillac has a mass of 2000 kg and the Toyota has 1000 kg.

a) Is this an elastic or inelastic collision?

b) Find the change in momentum of each car.



c) Find the change in velocity of each car.

d) Which car experiences the greatest average force?



\_\_\_\_\_  
Last name

\_\_\_\_\_  
First name

\_\_\_\_\_  
DL Sec

\_\_\_\_\_  
First three initials of last name

\_\_\_\_\_  
grade (for office use only)

p 9

8. A man holds his arm horizontally outstretched. His deltoid muscle is attached to the arm at a point 15cm from the shoulder joint and pulls on the arm in the direction indicated.



The weight of his arm is 40N and its center of mass is 30cm from the shoulder joint.

a) Determine the tangential component ( $F_{\text{tangential}}$ ) of the force exerted by the muscle on the arm.

b) Make an extended force diagram showing the significant forces acting on the arm, with the tails of the force vectors at the actual locations where the forces act. Your diagram need not quantify all forces, but their approximate directions and relative magnitudes should be qualitatively correct. Briefly describe what physics principle(s) you are applying to complete your sketch.

c) Suppose now that the person's muscle suddenly goes completely limp, exerting essentially no force on the arm. The person's arm would begin to swing downward. Describe clearly how you would determine the rate at which it would be swinging 0.1s after the muscle goes limp, indicating explicitly what quantity you would actually be determining and specifying any additional information you would need to know. You are not asked for numerical values.